

# Self-organizing social hierarchies in a timid society

Takashi Odagaki and Masaru Tsujiguchi

Department of Physics, Kyushu University, Fukuoka 812-8581, Japan

## Abstract

Emergence of hierarchies is investigated by Monte Carlo simulation in a timid society where all individuals are pacifist. The self-organization of hierarchies is shown to occur in two steps as the population is increased, i.e. there are three states, one egalitarian and two hierarchical states; the transition from the egalitarian to the first hierarchical state is continuous and the transition from the first hierarchical state to the second one is discontinuous. In the first hierarchical society, all individuals belong to either middle class or losers and no winners appear. In the second hierarchical society, many winners emerge and the population of the middle class is reduced. The hierarchy in the second hierarchical society is stronger than the hierarchy in a no-preference society studied by Bonabeau *et al* [Physica A **217**, 373 (1995)]

PACS: 05.65.+b, 05.70.Fh, 64.60.Cn, 68.18.Jk

Keywords: self-organization, hierarchy, phase transition

## 1 Introduction

The emergence of hierarchies is a common phenomenon in societies and animal groups. In a pioneering work, Bonabeau *et al.*[1] have shown that a hierarchical society can emerge spontaneously from an equal society by a simple algorithm of fighting between individuals diffusing on a square lattice. On the basis of results of Monte Carlo simulation and an analysis by a mean field theory, they concluded that subcritical or supercritical bifurcations exist in the formation of the hierarchical structure as the density of individuals is varied. In their model, each individual is assumed to have some wealth or power which increases or decreases by winning or losing in a fight. The essential processes of the model are diffusion, fighting and spontaneous relaxation of the wealth. Various societies can be modelled by specifying each process and the emergence of the hierarchy depends strongly on the specifications.[2, 3]

In this paper, we investigate a variation of the model introduced by Bonabeau *et al.*[1], where the diffusion algorithm is modified to include the effect of the trend of society. Namely, we study the emergence of hierarchies in a timid society, in which an individual always tries to avoid fighting and to fight with the weakest among the neighbors if he/she cannot avoid fighting. By Monte Carlo simulation, we show that the emergence of the hierarchy is retarded in the timid society compared to the no-preference society investigated by Bonabeau *et al.* and that the transition to the

hierarchical state occurs in two successive transitions of a continuous and a discontinuous ones. Consequently, there exist three different states in the society, one equal and two hierarchical states. In the first hierarchical states, we see no winners but losers and people in the middle class. In the second hierarchical states, many winners emerge from the middle class. We also show that the distribution of wealth in the second hierarchical state is wider compared to the hierarchical state of the no-preference society.

In Sec. 2, our model is explained in detail. Results of Monte Carlo simulation are presented in Sec. 3. In Sec. 4 the characteristics of the hierarchical states is analyzed in detail. Section 5 is devoted to discussion.

## 2 A timid society

We consider  $N$  individuals diffusing on an  $L \times L$  square lattice, where every lattice site accomodates at most one individual. An individual is to move to one of nearest neighbor sites according to the following protocol. When individual  $i$  tries to move to a site occupied by  $j$ ,  $i$  and  $j$  fight each other. If  $i$  wins,  $i$  and  $j$  exchange their positions, and if  $i$  loses, they keep their original positions. We associate each individual a quantity which we call power or wealth. The power increases by unity for every victory and decreases by unity for every loss. The probability  $Q_{ij}$  that  $i$  wins the fight against  $j$  is determined by the difference of their powers  $F_i$  and  $F_j$  as

$$Q_{ij} = \frac{1}{1 + \exp[\eta(F_j - F_i)]}, \quad (1)$$

where  $\eta$  is introduced as a controlling parameter. When  $\eta = \infty$ , the stronger one always wins the fight and when  $\eta = 0$ , the winning probability of both ones are equal. We also assume that the power of individuals relaxes to zero when they do not fight, namely power  $F_i(t+1)$  at time  $t+1$  is given by  $F_i(t)$  through[1]

$$F_i(t+1) = F_i(t) - \mu \tanh[F_i(t)]. \quad (2)$$

Here, the unit of time is defined by one Monte Carlo step during which every individual is accessed once for move and  $\mu$  represents an additional controlling parameter. This relaxation rule indicates that people lose their wealth of a constant amount when their power is large, and when their power is small, they lose it at a constant fraction, namely they behave rather miserly. It also indicates that the negative wealth (debt) can relax to zero in the similar manner. Note that this relaxation rule is critical to the emergence of hierarchical society.[2]

We characterize the timid society by the preference of individuals in diffusion. In the timid society, every individual favors not to fight and thus it moves to a vacant site if it exists. If no vacant sites exist in the nearest neighbors, then it moves to a site occupied by an individual whose power is the smallest among the neighbors. When more than two neighbors have the equal power, then an opponent is chosen randomly from them.

We characterize the static status of the society by an order parameter  $\sigma$  which is defined by[1, 2]

$$\sigma^2 = \frac{1}{N} \sum_i \left\{ \frac{D_i}{D_i + S_i} - \frac{1}{2} \right\}^2. \quad (3)$$

Here,  $N$  is the number of individuals, and  $D_i$  and  $S_i$  are the number of fights won and lost, respectively, by individual  $i$ . Note that  $\sigma = 0$  corresponds to an egalitarian status and  $\sigma = 1/\sqrt{12} \simeq 0.2887$  when the chance for victory  $\frac{D_i}{D_i + S_i}$  is distributed uniformly in  $[0, 1]$ . After sufficiently long Monte Carlo simulation, variation of  $\sigma$  is stabilized and one can use it as an order parameter.

We also monitor the population profile by focusing on the winning probability. We classify individuals into three groups by the number of fights which an individual won; winners are individuals who won more than  $2/3$  of fights and losers are individuals who won less than  $1/3$  of fights. Individuals between these groups are called middle class.

### 3 Monte Carlo simulation

Monte Carlo simulation was performed for  $N = 3500$  individuals on the square lattice with periodic boundary conditions from  $L = 60$  to  $L = 180$ . We obtained the order parameter  $\sigma^2$  and other quantities for  $10^6$  Monte Carlo steps.




Figure 1: Order parameter  $\sigma^2$  as a function of  $\rho = N/L^2$  with  $\mu = 0.1$ , for four different values of  $\eta$ :  $\eta = 50(\square)$ ,  $0.5(\times)$ ,  $0.05(\circ)$ ,  $0.005(\triangle)$ . Error bars are much smaller than the size of symbols.

Figure 1 shows the dependence of the order parameter  $\sigma^2$  on the density  $\rho = N/L^2$  for several values of  $\eta$ , where  $\mu$  is fixed to  $\mu = 0.1$ . We can see two clear transitions; one at a lower critical density  $\rho_{C1}$  and the other at a higher critical density  $\rho_{C2}$ . The transition at  $\rho_{C1}$  is continuous and the transition at  $\rho_{C2}$  is discontinuous. The dependence of the critical densities  $\rho_{C1}$  and  $\rho_{C2}$  on parameter  $\eta$  is shown in Fig. 2.

We can identify three states for a given value of  $\eta$ ; an egalitarian state for  $\rho \leq \rho_{C1}$ , a hierarchical society of type I for  $\rho_{C1} \leq \rho \leq \rho_{C2}$  and a hierarchical society of type II for  $\rho_{C2} \leq \rho \leq 1$ . In the egalitarian society, winners and losers lose their memory of previous fight before they engage in the next fight, and thus they change their status in time.




Figure 2: The dependence of the critical densities  $\rho_{C1}$  (the circles) and  $\rho_{C2}$  (the crosses) on parameter  $\eta$ , where  $\mu = 0.1$ . The curves are the guide for eyes.

In the hierarchical state, a winner keeps winning and a loser keeps losing. We discuss the difference between type I and type II hierarchical society in the next section.

The results strongly depend on  $\mu$ . We show the phase boundary on the  $\rho$ - $\mu$  plane for  $\eta = 0.05$  in Fig. 3.

## 4 Two hierarchical societies

In order to investigate the structure of the hierarchical states, we analyze profile of population. The dependence of the population of each class is plotted against the density in Fig. 4. Rapid changes of the populations signify emergence of different state of the hierarchical societies. In the egalitarian state  $\rho \leq \rho_{C1}$ , all individuals belong to the middle class as expected. In the hierarchical society I  $\rho_{C1} \leq \rho \leq \rho_{C2}$ , some individuals become losers whose number increases as the density is increased, but no winners are seen. In the hierarchical state II  $\rho \geq \rho_{C2}$ , many winners appear and the population in the middle class is reduced significantly.

Figures 5 (a), (b) and (c) show the spacial distribution of individuals after  $10^6$  Monte Carlo steps in the egalitarian, the first hierarchical and the second hierarchical states, respectively. No specific spatial inhomogeneity is observed in the timid society.

In order to see details of the hierarchical structure, we plot the population as a function of the density and the winning probability in Fig. 6. From this plot, we conclude that (1) in the hierarchical state I, people in the middle class with slightly higher winning probability increase, but no winners are seen and (2) in the hierarchical state II, the most of winners have very high winning probability, while people in the losers and the middle class are distributed in a wide region of the winning probability,




Figure 3: The dependence of the critical densities  $\rho_{c1}$  (the circles) and  $\rho_{c2}$  (the crosses) on parameter  $\mu$  for  $\eta = 0.05$ . The curves are the guide for eyes.

## 5 Discussion

We have investigated the emergence of self-organized hierarchies in the timid society. Our results show that the emergence of the hierarchical state in the timid society is retarded compared to the no-preference society. This delay is natural since individuals in the timid society tend to avoid fighting and thus the wealth is distributed more or less evenly among individuals when the population is low. Furthermore, the emergence of the hierarchical society in the timid society occurs in two steps, and the first transition is continuous and the second one is discontinuous. The strength of the hierarchy in the high density region is stronger in the timid society compared to the no-preference society. For the same choice of  $\eta = 0.05$  and  $\mu = 0.1$ ,  $\sigma^2$  for the former case is twice as large as the latter[1].

To understand these behaviors, we first remind the fact that the hierarchical society emerges when the power cannot relax before the subsequent fight. In the timid society, an individual can avoid fighting when the density is low, and thus the egalitarian state is favored for low densities. In the timid society, weaker individuals have more chance to be challenged and thus to lose their power, and stronger ones have less chance to fight and their power stay near zero. This situation corresponds to the hierarchical state I. When the density is increased above the upper critical density, all individuals have more chance to fight and thus stronger individuals become much stronger.

## References

- [1] E. Bonabeau, G. Theraulaz and J.-L. Deneubourg, *Physica A* **217** (1995) 373.
- [2] A. O. Sousa and D. Stauffer, *Int. J. Mod. Phys. C* **11** (2000) 1063.




Figure 4: Dependence of the population in each class on the density when  $\mu = 0.1$  and  $\eta = 0.1$ .

[3] D. Stauffer, Int. J. Mod. Phys. C14 (2003) 237.




Figure 5: Structure in the equilibrium state. (a) the egalitarian state  $\rho = 0.3$ , (b) the hierarchical society I  $\rho = 0.5$  and (c) the hierarchical society II  $\rho = 0.7$ . the circles are the winner, the triangles are individuals in the middle class and the crosses are the loser.




Figure 6: Population as a function of the density and the winning rate.  $X = D_i/(D_i + S_i)$ .